

### **Amendment to the Claims**

This listing of claims will replace all prior versions and listings of claims in the application.

1. (Currently Amended) A method for providing media in a communication network, the method comprising:

communicating between a first location and a web server of a non-broadcast channel provider, said web server being located at a third location;

selecting, at said first location, ~~said~~ media offered by the non-broadcast channel provider, said media residing at a fourth location;

generating a request from said first location to receive, at a second location that is remote to the first location, said media provided by said non-broadcast channel provider;

sending the generated request from said web server at said third location to a media exchange server at a fifth location via the communication network that comprises Internet infrastructure, the media exchange server providing device ID registration, channel/program setup and management, billing and service tracking, device IP registration and digital rights management and serving as a proxy for anonymity;

providing, from said first location, payment information and authorization information ~~to said non-broadcast channel provider~~ to said web server of said non-broadcast channel provider, said web server at said third location providing which provides said payment information and said authorization information to said media exchange server at said fifth location via the Internet infrastructure; and

receiving, at ~~the~~ said second location, said media from a storage location at said fourth location ~~other than said non-broadcast channel provider,~~ the media exchange server arranging for the storage location to push said media from said fourth location to said second location while keeping user and network details corresponding to said second location anonymous with respect to

said web server at said third location and said storage location at said fourth location, the media exchange server serving as a proxy between at least the first said second location, said web server at said third location and said storage location at said fourth location ~~non-broadcast channel provider and the storage location, wherein said non-broadcast channel provider is unaware of the destination of said media.~~

2. (Presently Presented) The method according to claim 1, comprising presenting a representation of said transferred received media in one or both of a media guide and/or a channel guide at said first location and/or said second location.

3. (Presently Presented) The method according to claim 1, comprising consuming said received media at said second location.

4. (Presently Presented) The method according to claim 1, comprising requesting that said received media be transferred from said storage location to said second location.

5. (Presently Presented) The method according to claim 4, comprising transferring an identifier of said second location to said non-broadcast channel provider.

6. (Presently Presented) The method according to claim 4, comprising presenting a representation of said transferred received media in one or both of a media guide and/or a channel guide at said second location.

7. (Original) The method according to claim 4, wherein said media is consumed at said second location.

8. (Presently Presented) The method according to claim 4, wherein said non-broadcast channel provider authorizes said storage location to transfer said media to one or both of said first location and/or said second location.

9. (Currently Amended) The method according to claim 1, comprising: ~~searching said non-broadcast channel provider for information related to said media according to said generated request~~

providing, at each of said first location and said second location, a respective media management software platform that provides user interface functionality, distributed storage functionality, networking functionality, automatic control of media peripheral devices, automatic status monitoring of said media peripheral devices and inter-location media processing system routing selection.

10. (Currently Amended) The method according to claim 4, comprising: ~~selecting said received media for consumption~~

providing a speech recognition engine that is configured to receive input speech and to employ said input speech to control said media management software platform.

11. (Currently Amended) A machine-readable storage having stored thereon, a computer program having at least one code section that provides media in a communication network, the at least one code section being executable by a machine for causing the machine to perform steps comprising:

setting up communications between a first location and a web server of a non-broadcast channel provider over the communication network, said web server residing at a third location;

selecting, at said first location, said media offered by the non-broadcast channel provider, said media residing at a fourth location;

generating a request from the first location to receive, at a second location that is remote to the first location, said media ~~from~~ provided by said non-broadcast channel provider, ~~sending~~ the generated request being sent from said web server at said third location to a media exchange server at a fifth location via the communication network that comprises Internet infrastructure, wherein the media exchange server provides device ID registration, channel/program setup and management, billing and service tracking, device IP registration and digital rights management and serves as a proxy for anonymity; and

providing, from said first location, payment information and authorization information to said web server of said non-broadcast channel provider, said web server at said third location providing which provides said payment information and said authorization information to said media exchange server at said fifth location via the communication network, wherein said request, said payment information and said authorization information received by said media exchange server at said fifth location cause the media exchange server to arrange for pushing of ~~push~~ said media from a storage location at said fourth location to said second location while keeping user and network details corresponding to said second location anonymous with respect to said web server at said third location and said storage location at said fourth location, wherein said media exchange server serves as a proxy between at least said second ~~the first~~ location, said web server at said third location and said storage location at said fourth location ~~the non-broadcast channel provider and the storage location such that said non-broadcast channel provider is unaware of the destination of said media.~~

12. (Presently Presented) The machine-readable storage according to claim 11, comprising code for presenting a representation of said transferred received media in one or both of a media guide and/or a channel guide at said first location and/or said second location.

13. (Presently Presented) The machine-readable storage according to claim 11, comprising

code for consuming said received media at said second location.

14. (Presently Presented) The machine-readable storage according to claim 11, comprising code for requesting that said received media be transferred from said storage location to said second location.

15. (Presently Presented) The machine-readable storage according to claim 14, comprising code for transferring an identifier of said second location to said non-broadcast channel provider.

16. (Presently Presented) The machine-readable storage according to claim 14, comprising code for presenting a representation of said transferred received media in one or both of a media guide and/or a channel guide at said second location.

17. (Original) The machine-readable storage according to claim 14, wherein said media is consumed at said second location.

18. (Presently Presented) The machine-readable storage according to claim 14, wherein said non-broadcast channel provider authorizes said storage location to transfer said media to one or both of said first location and/or said second location.

19. (Currently Amended) The machine-readable storage according to claim 11, comprising code for ~~searching said non-broadcast channel provider for information related to said media according to said generated request~~ providing a media management software platform that provides user interface functionality, distributed storage functionality, networking functionality, automatic control of media peripheral devices, automatic status monitoring of said media peripheral devices and inter-location media processing system routing selection.

20. (Currently Amended) The machine-readable storage according to claim ~~44~~ 19, comprising code for ~~selecting said received media for consumption~~ providing a speech recognition engine that is configured to receive input speech and employ said input speech to control said media management software platform.

21. (Currently Amended) A system for providing media in a communication network, the system comprising:

at least one processor that provides communications between a first location and a web server of a non-broadcast channel provider over the communication network, said web server residing at a third location;

said at least one processor selects, at said first location, ~~said~~ media offered by the non-broadcast channel provider, said media residing at a fourth location;

said at least one processor generates a request from the first location to receive, at a second location that is remote to the first location, said media ~~from a~~ sourced by said non-broadcast channel provider, ~~;~~ said at least one processor sends the generated request being sent from said web server at said third location to a media exchange server at a fifth location via the communication network that comprises Internet infrastructure, wherein the media exchange server provides device ID registration, channel/program setup and management, billing and service tracking, device IP registration and digital rights management and serves as a proxy for anonymity; and

said at least one processor provides, from said first location, payment information and authorization information to said web server of said non-broadcast channel provider, said web server at said third location providing ~~which provides~~ said payment information and said authorization information to said media exchange server at said fifth location via the communication network, wherein said request, said payment information and said authorization information received by said media exchange server at said fifth location cause the media exchange server to

arrange for pushing of ~~push~~ said media from a storage location at said fourth location to said second location while keeping user and network details corresponding to said second location anonymous with respect to said web server at said third location and said storage location at said fourth location, wherein said media exchange server serves as a proxy between at least said second ~~the first~~ location, said web server at said third location and said storage location at said fourth location ~~the non-broadcast channel provider and the storage location such that said non-broadcast channel provider is unaware of the destination of said media.~~

22. (Previously Presented) The system according to claim 21, wherein said at least one processor presents a representation of said transferred received media in one or both of a media guide and/or a channel guide at said first location and/or said second location.

23. (Presently Presented) The system according to claim 21, wherein said at least one processor consumes said received media at said second location.

24. (Presently Presented) The system according to claim 21, wherein said at least one processor requests that said received media be transferred from said storage location to said second location.

25. (Original) The system according to claim 24, wherein said at least one processor transfers an identifier of said second location to said non-broadcast channel provider.

26. (Presently Presented) The system according to claim 24, wherein said at least one processor presents a representation of said transferred received media in one or both of a media guide and/or a channel guide at said second location.

27. (Original) The system according to claim 24, wherein said media is consumed at said second location.

28. (Presently Presented) The system according to claim 24, wherein said non-broadcast channel provider authorizes said storage location to transfer said media to one or both of said first location and/or said second location.

29. (Currently Amended) The system according to claim 21, wherein said at least one processor ~~searches said non-broadcast channel provider for information related to said media according to said generated request~~ provides a media management software platform that provides user interface functionality, distributed storage functionality, networking functionality, automatic control of media peripheral devices, automatic status monitoring of said media peripheral devices and inter-location media processing system routing selection.

30. (Currently Amended) The system according to claim 21, wherein said at least one processor ~~selects said received media for consumption~~ provides a speech recognition engine that is configured to receive input speech and employ said input speech to control said media management software platform.

31. (Presently Presented) The system according to claim 21, wherein said at least one processor is one or both of a media processing system processor, a media management system processor, a computer processor, a media exchange software processor and/or a media peripheral processor.

32. (Presently Presented) The method according to claim 1, comprising:  
communicating, via the Internet infrastructure, between the media exchange server and the



storage location;

tracking billing and services by the media exchange server; and  
providing program setup and management by the media exchange server.

33. (Currently Amended) The method according to claim 1, ~~wherein the non-broadcast channel provider provides on-demand movies, on-demand music and advertising comprising:~~

selecting, at said second location, different media offered by said non-broadcast channel provider, said different media residing at said fourth location;

receiving, at said first location, said different media from said storage location at said fourth location, said media exchange server arranging for the storage location to push said media from said fourth location to said first location while keeping user and network details corresponding to said first location anonymous with respect to said web server at said third location and said storage location at said fourth location, said media exchange server serving as a proxy between at least said first location, said web server at said third location and said storage location at said fourth location.

34. (Presently Presented) The method according to claim 1, comprising:  
temporarily storing said media at said storage location if said second location is offline; and  
after said second location subsequently goes online, pushing said media to said second location.